

## Discharge Monitoring Report - STA 5 - Submittal Date: June 2006

Monitoring Period: March 01, 2006 - March 31, 2006

Permit # FL0177954-001

Discharge Point Number: D001

☒ <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  6/14/2006
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-1 outflow G344A	Calc	Daily		54	0	cfs
Dissolved Oxygen	00300 1 EFF-1 outflow G344A	In Situ	Weekly	2.81			mg/l
Dissolved Oxygen	00300 5 SWU-1 inflow G342A	In Situ	Weekly	6.12			mg/l
pH	00400 1 EFF-1 outflow G344A	In Situ	Weekly	7.06		8.35	SU field
Total Phosphorus	00665 Y EFF-1 outflow G344A	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.057		mg/l as P
Total Phosphorus	00665 P SWU-1 inflow G342A	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.168		mg/l as P

## Discharge Monitoring Report - STA 5 - Submittal Date: June 2006

Monitoring Period: March 01, 2006 - March 31, 2006

Permit # FL0177954-001

Discharge Point Number: D002

☒ <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  6/14/2006
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-2 outflow G344B	Calc	Daily		101	0	cfs
Dissolved Oxygen	00300 1 EFF-2 outflow G344B	In Situ	Weekly	1.86			mg/l
Dissolved Oxygen	00300 5 SWU-2 inflow G342B	In Situ	Weekly	5.78			mg/l
pH	00400 1 EFF-2 outflow G344B	In Situ	Weekly	7.47		8.09	SU field
Total Phosphorus	00665 Y EFF-2 outflow G344B	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.107		mg/l as P
Total Phosphorus	00665 P SWU-2 inflow G342B	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.180		mg/l as P

## Discharge Monitoring Report - STA 5 - Submittal Date: June 2006

Monitoring Period: March 01, 2006 - March 31, 2006

Permit # FL0177954-001

Discharge Point Number: D003

☒ <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  6/14/2006
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-3 outflow G344C	Calc	Daily		80	0	cfs
Dissolved Oxygen	00300 1 EFF-3 outflow G344C	In Situ	Weekly	NODI=9			mg/l
Dissolved Oxygen	00300 5 SWU-3 inflow G342C	In Situ	Weekly	NODI=9			mg/l
pH	00400 1 EFF-3 outflow G344C	In Situ	Weekly	NODI=9		NODI=9	SU field
Total Phosphorus	00665 Y EFF-3 outflow G344C	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.103		mg/l as P
Total Phosphorus	00665 P SWU-3 inflow G342C	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.229		mg/l as P

## Discharge Monitoring Report - STA 5 - Submittal Date: June 2006

Monitoring Period: March 01, 2006 - March 31, 2006

Permit # FL0177954-001

Discharge Point Number: D004

☒ <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstrom, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  6/14/2006
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-4 outflow G344D	Calc	Daily		48	0	cfs
Dissolved Oxygen	00300 1 EFF-4 outflow G344D	In Situ	Weekly	NODI=9			mg/l
Dissolved Oxygen	00300 5 SWU-4 inflow G342D	In Situ	Weekly	NODI=9			mg/l
pH	00400 1 EFF-4 outflow G344D	In Situ	Weekly	NODI=9		NODI=9	SU field
Total Phosphorus	00665 Y EFF-4 outflow G344D	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.097		mg/l as P
Total Phosphorus	00665 P SWU-4 inflow G342D	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.233		mg/l as P